

COM THE AD & NECA CHEST THE STATE OF THE STA

ENT Consult +

any advised

Diagnostic Tests

491 Eglinton Ave. W. Suite 101 T: 416.780.1414

Audiometric or

□ Vestibular Testing

Only

Toronto, ON M5N 1A8 F: 416.787.1592

ENT Consult

AND

Diagnostic Testing

www.thnhearingandbalance.com hearingandbalance@thnclinic.com

ENT Consult only if

Diagnostic Tests

Abnormal

THN AUDIOLOGY

ivaille.	Last		First				
Date of Birth: —					□ Male □ Fe		
Address:							
Street # Street Nar					nce Postal Code		
OHIP:							
OT III .	10 Dig	10 Digit #		Version Code			
Doordoless of Dis		D BE COMPLETED I	BY REF	FERRING MD			
Provisional Dia	agnosis / Reas	son for Test:					
☐ Hearing •	earing Test			HAE*			
□ Pediatric	Hearing Test	t		HAC*			
☐ CAPD: C	AP screening	g/Auditory training*	· 🗆	Swim / Noise p	olugs*		
☐ Tinnitus N	/lanagement	*					
Advanced A	udiometric	and Balance Fund	ction 1	ests			
□ ABR				vHIT (Video He	ad Impuls	e Test) ^①	
□ EcochG				V140			
☐ Tinnitus F	s Panel: Audio, ABR			(Eardrums intact □ YES □ NO		□ NO)	
☐ Dizzy Bat	S, vHIT, VNG, VEMF		VEMP VRT (Vestibular Rehabilitation				
				Therapy)*	ar Kenabi	ilitation	
*Non OHIP; ple	ease contact o	office for fees and pronstructions about	gram o	ptions			
Flease See I	everse for it	iistructions about	VIVG a	nd virit testing			
	REFER	RING PHYSICIAN II	NFORM	ATION (or stamp)		
Name: I			hysician #:				
Phone:			Fax:				
Signature:			Oate:				





LOCATION

491 Eglinton Ave. W. Suite 101 Toronto, ON M5N 1A8

> T: 416.780.1414 F: 416.787.1592

www.thnhearingandbalance.com hearingandbalance@thnclinic.com



VNG INSTRUCTIONS

VNG testing is used to identify diseases or disorders causing vertigo, dizziness or inner ear disorders. You will be asked to put on special goggles that will measure nystagmus - an involuntary, repetitive movement of the eyeball. Several recordings of eye motion will be made while you move your head in different positions. The tests will be performed while small quantities of warm and cold water are placed in your ear canals. The VNG test takes approximately 30 minutes.

Please do not eat for three hours before a VNG test. If you are diabetic, do not skip any meals. Refrain from taking sedatives, tranquilizers, antihistamines, drugs for nausea or dizziness and alcoholic beverages for 24 hours prior to your appointment. If you are on any medications for heart, blood pressure, thyroid, cholesterol, diabetes or epilepsy, continue these as usual. Please refrain from applying mascara or any makeup or moisturizer to your eyes or face. Although rare, some patients experience prolonged dizziness after the test is complete, therefore is recommended that you have someone drive you home after the test if possible. Please check in at least 10 minutes early.

VHIT INSTRUCTIONS

Please refrain from applying mascara or any makeup or moisturizer to your eyes or face.